


CONFIDENTIAL**November 11, 1955**

25X1

Dear 

25X1

We are pleased to submit the following quotation for the fabrication of pre-production prototypes of the WT-1 FM Transmitter in accordance with the attached tentative Manufacturing, Inspection and Packaging Specifications dated October 4, 1955 and amended November 9, 1955.

<u>Quantity</u>	<u>Price - F.O.B.</u> <u>Waltham, Mass.</u>	<u>Delivery Schedule</u>
25	\$380/unit	Complete delivery 3-4 months after receipt of order.
50	\$345/unit	Delivery of 25 units 3-4 months after receipt of order. Complete delivery 4-5 months after receipt of order.
100	\$330/unit	Delivery of 25 units 3-4 months after receipt of order and then at the rate of 25 units per month until complete.

Respectfully submitted

25X1

25X1

25X1

BHB:ar**Vice President of Research****Encls.****CONFIDENTIAL**

TENTATIVE *C. 79 P*
MANUFACTURING, INSPECTION
AND PACKAGING
SPECIFICATIONS FOR
WT-1 FM TRANSMITTER

CONFIDENTIAL

TENTATIVE
MANUFACTURING, INSPECTION AND PACKAGING
SPECIFICATIONS FOR
WT-1 FM TRANSMITTER

OCTOBER 4, 1955

CONFIDENTIAL

CONFIDENTIAL

WT-1 Amendment 1

November 9, 1955

2. The capacitor substitution has been made strictly on a quality basis. The Mallory capacitors are superior in mechanical reliability and ruggedness. The other formerly used tended to come apart in assembly.

CONFIDENTIAL

CONFIDENTIAL

TENTATIVE

MANUFACTURING, INSPECTION AND PACKAGING

SPECIFICATIONS FOR

WT-1 FM TRANSMITTER

1. General

1.1 The purpose of these specifications is to insure that the WT-1 transmitter is properly manufactured and assembled and that the unit herein described functions and operates in the desired manner.

2. Sterilization

2.1 There shall be no manufacturers' name, date or other identifying markings upon any part of the WT-1 transmitter or any accessory thereto, unless the part is a standard commercial item. In all cases, approval of the designated authority is required before such information can be included.

3. Parts

3.1 The WT-1 transmitter shall consist of parts in quantity and quality as itemized in the Parts List attached as Appendix "A" to these specifications.

4. Materials

4.1 The materials from which the WT-1 unit is to be constructed, shall conform in type, quality, dimension, tolerance and finish to the requirements prescribed in the appropriate drawings or series of drawings attached hereto as Appendix "B".

5. Finish

5.1 The finish of each part shall be in accordance with provisions set forth in pertinent drawings attached hereto as Appendix "B".

6. Dimensions

6.1 The deminsions and tolerances of the WT-1 transmitter, its components, assemblies and parts shall conform to those prescribed in pertinent drawings attached hereto as Appendix "B".